

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields           |       | Sewage lagoons                        |       |
|-----------------------------|---------------------------|--|-------|---------------------------------------|-------|
|                             |                           | Rating class and<br>limiting features      | Value | Rating class and<br>limiting features | Value |
| Ad:<br>Alluvial Land-----   | 100                       | Not rated                                  |       | Not rated                             |       |
| AuC2:<br>Aura-----          | 100                       | Very limited<br>Filtering<br>capacity      | 1.00  | Very limited<br>Slope                 | 1.00  |
|                             |                           |  |       | Seepage                               | 1.00  |
| AuD2:<br>Aura-----          | 100                       | Very limited<br>Filtering<br>capacity      | 1.00  | Very limited<br>Slope                 | 1.00  |
|                             |                           | Slope                                      | 0.84  | Seepage                               | 1.00  |
| AuD3:<br>Aura-----          | 100                       | Very limited<br>Filtering<br>capacity      | 1.00  | Very limited<br>Slope                 | 1.00  |
|                             |                           | Slope                                      | 0.16  | Seepage                               | 1.00  |
| BlA:<br>Beltsville-----     | 95                        | Very limited<br>Restricted<br>permeability | 1.00  | Very limited<br>Seepage               | 1.00  |
|                             |                           | Depth to<br>saturated zone                 | 1.00  | Depth to<br>saturated zone            | 0.25  |
| BlB2:<br>Beltsville-----    | 95                        | Very limited<br>Restricted<br>permeability | 1.00  | Very limited<br>Seepage               | 1.00  |
|                             |                           | Depth to<br>saturated zone                 | 1.00  | Slope                                 | 0.32  |
|                             |                           |  |       | Depth to<br>saturated zone            | 0.25  |
| BlC2:<br>Beltsville-----    | 95                        | Very limited<br>Restricted<br>permeability | 1.00  | Very limited<br>Slope                 | 1.00  |
|                             |                           | Depth to<br>saturated zone                 | 1.00  | Seepage                               | 1.00  |
|                             |                           |  |       | Depth to<br>saturated zone            | 0.25  |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields   |                      | Sewage lagoons   |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features  | Value                | Rating class and<br>limiting features                              | Value                |
| BlC3:<br>Beltsville-----    | 95                        | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone             | 1.00<br>1.00         | Very limited<br>Slope<br>Seepage<br>Depth to<br>saturated zone     | 1.00<br>1.00<br>0.25 |
| Bo:<br>Bibb-----            | 100                       | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Restricted<br>permeability | 1.00<br>1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Seepage  | 1.00<br>1.00<br>0.50 |
| BrB2:<br>Bourne-----        | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone             | 1.00<br>1.00         | Somewhat limited<br>Seepage<br>Slope<br>Depth to<br>saturated zone | 0.50<br>0.32<br>0.25 |
| BrC2:<br>Bourne-----        | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone             | 1.00<br>1.00         | Very limited<br>Slope<br>Seepage<br>Depth to<br>saturated zone     | 1.00<br>0.50<br>0.25 |
| BuC3:<br>Bourne-----        | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone             | 1.00<br>1.00         | Very limited<br>Slope<br>Seepage<br>Depth to<br>saturated zone     | 1.00<br>0.50<br>0.25 |
| ChB2:<br>Chillum-----       | 100                       | Somewhat limited<br>Restricted<br>permeability                                       | 0.68                 | Somewhat limited<br>Seepage<br>Slope                               | 0.50<br>0.32         |
| ChC2:<br>Chillum-----       | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Slope                              | 0.68<br>0.04         | Very limited<br>Slope<br>Seepage                                   | 1.00<br>0.50         |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields   |                      | Sewage lagoons                             |              |
|-----------------------------|---------------------------|--|----------------------|--|--------------|
|                             |                           | Rating class and<br>limiting features  | Value                | Rating class and<br>limiting features      | Value        |
| Co:<br>Coastal Beaches----- | 100                       | Not rated  |                      | Not rated                                  |              |
| CrB2:<br>Croom-----         | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>0.68         | Very limited<br>Seepage<br>Slope           | 1.00<br>0.92 |
| CrC2:<br>Croom-----         | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability<br>Slope | 1.00<br>0.68<br>0.63 | Very limited<br>Slope<br>Seepage           | 1.00<br>1.00 |
| CrC3:<br>Croom-----         | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability<br>Slope | 1.00<br>0.68<br>0.63 | Very limited<br>Slope<br>Seepage           | 1.00<br>1.00 |
| Cu:<br>Cut And Fill Land--- | 100                       | Not rated  |                      | Not rated                                  |              |
| Ek:<br>Elkton-----          | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone     | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone | 1.00         |
| ErE:<br>Eroded Land-----    | 100                       | Not rated  |                      | Not rated                                  |              |
| EvB:<br>Evesboro-----       | 100                       | Very limited<br>Filtering<br>capacity  | 1.00                 | Very limited<br>Seepage<br>Slope           | 1.00<br>0.32 |
| EvC:<br>Evesboro-----       | 100                       | Very limited<br>Filtering<br>capacity<br>Slope                               | 1.00<br>0.63         | Very limited<br>Slope<br>Seepage           | 1.00<br>1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields  |                      | Sewage lagoons   |                      |
|-----------------------------|---------------------------|---|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features                          | Value                |
| EwB:<br>Evesboro-----       | 100                       | Very limited<br>Filtering<br>capacity   | 1.00                 | Very limited<br>Seepage<br>Slope                               | 1.00<br>0.32         |
| EwC:<br>Evesboro-----       | 100                       | Very limited<br>Filtering<br>capacity<br>Slope                                    | 1.00<br>0.63         | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| ExC2:<br>Exum-----          | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>0.94         | Very limited<br>Slope<br>Depth to<br>saturated zone            | 1.00<br>0.39         |
| ExC3:<br>Exum-----          | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>0.94         | Very limited<br>Slope<br>Depth to<br>saturated zone            | 1.00<br>0.39         |
| ExD2:<br>Exum-----          | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone<br>Slope | 1.00<br>0.94<br>0.84 | Very limited<br>Slope<br>Depth to<br>saturated zone            | 1.00<br>0.39         |
| EyD3:<br>Exum-----          | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone<br>Slope | 1.00<br>0.94<br>0.84 | Very limited<br>Slope<br>Depth to<br>saturated zone            | 1.00<br>0.39         |
| EzB2:<br>Exum-----          | 65                        | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>0.94         | Somewhat limited<br>Depth to<br>saturated zone<br>Slope        | 0.39<br>0.32         |
| Beltsville-----             | 30                        | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>1.00         | Very limited<br>Seepage<br>Slope<br>Depth to<br>saturated zone | 1.00<br>0.32<br>0.25 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields  |                      | Sewage lagoons  |                      |
|-----------------------------|---------------------------|---|----------------------|---|----------------------|
|                             |                           | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features                             | Value                |
| Fs:<br>Fallsington-----     | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability | 1.00<br>1.00<br>0.68 | Very limited<br>Depth to<br>saturated zone<br>Seepage<br>Slope    | 1.00<br>1.00<br>0.32 |
| GaB:<br>Galestown-----      | 100                       | Very limited<br>Filtering<br>capacity   | 1.00                 | Very limited<br>Seepage   | 1.00                 |
| Gp:<br>Gravel And Borrow Pi | 100                       | Not rated   |                      | Not rated   |                      |
| GvE:<br>Gravelly Land-----  | 95                        | Not rated   |                      | Not rated   |                      |
| Ik:<br>Iuka-----            | 95                        | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Restricted<br>permeability              | 1.00<br>1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Seepage | 1.00<br>1.00<br>0.50 |
| Im:<br>Iuka-----            | 95                        | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Flooding              | 1.00<br>0.50<br>0.40 | Very limited<br>Depth to<br>saturated zone<br>Seepage<br>Flooding | 1.00<br>0.50<br>0.40 |
| In:<br>Iuka-----            | 100                       | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Restricted<br>permeability              | 1.00<br>1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Seepage | 1.00<br>1.00<br>0.50 |
| KeA:<br>Keyport-----        | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone                          | 1.00<br>1.00         | Somewhat limited<br>Depth to<br>saturated zone                    | 0.96                 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields  |                      | Sewage lagoons   |                      |
|-----------------------------|---------------------------|---|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features                              | Value                |
| KeB2:<br>Keyport-----       | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>1.00         | Somewhat limited<br>Depth to<br>saturated zone<br>Slope            | 0.96<br>0.32         |
| KpA:<br>Keyport-----        | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>1.00         | Somewhat limited<br>Depth to<br>saturated zone                     | 0.96                 |
| KpB2:<br>Keyport-----       | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>1.00         | Somewhat limited<br>Depth to<br>saturated zone<br>Slope            | 0.96<br>0.32         |
| KpC2:<br>Keyport-----       | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone<br>Slope | 1.00<br>1.00<br>0.04 | Very limited<br>Slope<br>Depth to<br>saturated zone                | 1.00<br>0.96         |
| KpC3:<br>Keyport-----       | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone<br>Slope | 1.00<br>1.00<br>0.04 | Very limited<br>Slope<br>Depth to<br>saturated zone                | 1.00<br>0.96         |
| Le:<br>Leonardtown-----     | 100                       | Very limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 1.00<br>1.00         | Very limited<br>Seepage  | 1.00                 |
| MgA:<br>Magnolia-----       | 100                       | Somewhat limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability      | 0.94<br>0.50         | Somewhat limited<br>Seepage<br>Depth to<br>saturated zone          | 0.50<br>0.39         |
| MgB2:<br>Magnolia-----      | 100                       | Somewhat limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability      | 0.94<br>0.50         | Somewhat limited<br>Seepage<br>Depth to<br>saturated zone<br>Slope | 0.50<br>0.39<br>0.32 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields  |                      | Sewage lagoons   |                      |
|-----------------------------|---------------------------|---|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features                          | Value                |
| MgC2:<br>Magnolia-----      | 100                       | Somewhat limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Slope | 0.94<br>0.50<br>0.04 | Very limited<br>Slope<br>Seepage<br>Depth to<br>saturated zone | 1.00<br>0.50<br>0.39 |
| MkC3:<br>Magnolia-----      | 100                       | Somewhat limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Slope | 0.94<br>0.50<br>0.04 | Very limited<br>Slope<br>Seepage<br>Depth to<br>saturated zone | 1.00<br>0.50<br>0.39 |
| MlB2:<br>Marr-----          | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.50                 | Very limited<br>Seepage<br>Slope                               | 1.00<br>0.32         |
| MmA:<br>Matapeake-----      | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Seepage  | 1.00                 |
| MmB2:<br>Matapeake-----     | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Seepage<br>Slope                               | 1.00<br>0.32         |
| MnA:<br>Matapeake-----      | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Seepage  | 1.00                 |
| MnB2:<br>Matapeake-----     | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Seepage<br>Slope                               | 1.00<br>0.32         |
| MnC2:<br>Matapeake-----     | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| MnC3:<br>Matapeake-----     | 100                       | Somewhat limited<br>Restricted<br>permeability  | 0.68                 | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields   |                              | Sewage lagoons   |                      |
|-----------------------------|---------------------------|--|------------------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features  | Value                        | Rating class and<br>limiting features                          | Value                |
| Ms:<br>Matawan-----         | 100                       | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Filtering<br>capacity          | 1.00<br>1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Seepage          | 1.00<br>1.00         |
| MtA:<br>Mattapex-----       | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>1.00<br>0.68         | Very limited<br>Depth to<br>saturated zone<br>Seepage          | 1.00<br>1.00         |
| MtB2:<br>Mattapex-----      | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>1.00<br>0.68         | Very limited<br>Depth to<br>saturated zone<br>Seepage<br>Slope | 1.00<br>1.00<br>0.32 |
| MuA:<br>Mattapex-----       | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>1.00<br>0.68         | Very limited<br>Depth to<br>saturated zone<br>Seepage          | 1.00<br>1.00         |
| MuB2:<br>Mattapex-----      | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>1.00<br>0.68         | Very limited<br>Depth to<br>saturated zone<br>Seepage<br>Slope | 1.00<br>1.00<br>0.32 |
| MxC:<br>Mattapex-----       | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity<br>Restricted<br>permeability<br>Slope | 1.00<br>1.00<br>0.68<br>0.04 | Very limited<br>Depth to<br>saturated zone<br>Slope<br>Seepage | 1.00<br>1.00<br>1.00 |



Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields   |                      | Sewage lagoons  |                      |
|-----------------------------|---------------------------|--|----------------------|---|----------------------|
|                             |                           | Rating class and<br>limiting features  | Value                | Rating class and<br>limiting features                             | Value                |
| OcB:<br>Ochlockonee-----    | 100                       | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability<br>Flooding | 1.00<br>0.50<br>0.40 | Very limited<br>Seepage<br>Depth to<br>saturated zone<br>Flooding | 1.00<br>0.71<br>0.40 |
| Or:<br>Osier-----           | 100                       | Very limited<br>Depth to<br>saturated zone<br>Filtering<br>capacity                  | 1.00<br>1.00         | Very limited<br>Seepage<br>Depth to<br>saturated zone             | 1.00<br>1.00         |
| Os:<br>Othello-----         | 100                       | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability             | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Seepage             | 1.00<br>1.00         |
| Ot:<br>Othello-----         | 100                       | Very limited<br>Depth to<br>saturated zone<br>Restricted<br>permeability             | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Seepage             | 1.00<br>1.00         |
| RdB2:<br>Rumford-----       | 100                       | Very limited<br>Filtering<br>capacity  | 1.00                 | Very limited<br>Seepage<br>Slope                                  | 1.00<br>0.08         |
| RdC2:<br>Rumford-----       | 100                       | Very limited<br>Filtering<br>capacity  | 1.00                 | Very limited<br>Seepage<br>Slope                                  | 1.00<br>1.00         |
| RgB2:<br>Rumford-----       | 100                       | Very limited<br>Filtering<br>capacity  | 1.00                 | Very limited<br>Seepage<br>Slope                                  | 1.00<br>0.08         |
| RgC2:<br>Rumford-----       | 100                       | Very limited<br>Filtering<br>capacity  | 1.00                 | Very limited<br>Seepage<br>Slope                                  | 1.00<br>1.00         |
| SaE:<br>Sandy Land-----     | 100                       | Not rated  |                      | Not rated   |                      |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields   |                      | Sewage lagoons                        |              |
|-----------------------------|---------------------------|--|----------------------|---------------------------------------|--------------|
|                             |                           | Rating class and<br>limiting features  | Value                | Rating class and<br>limiting features | Value        |
| ShA:<br>Sassafras-----      | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>0.68         | Very limited<br>Seepage               | 1.00         |
| ShB2:<br>Sassafras-----     | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>0.68         | Very limited<br>Seepage<br>Slope      | 1.00<br>0.32 |
| ShC2:<br>Sassafras-----     | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>0.68         | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| ShC3:<br>Sassafras-----     | 100                       | Very limited<br>Filtering<br>capacity<br>Restricted<br>permeability          | 1.00<br>0.68         | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| ShD2:<br>Sassafras-----     | 100                       | Very limited<br>Filtering<br>capacity<br>Slope<br>Restricted<br>permeability | 1.00<br>0.84<br>0.68 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| ShD3:<br>Sassafras-----     | 100                       | Very limited<br>Filtering<br>capacity<br>Slope<br>Restricted<br>permeability | 1.00<br>0.84<br>0.68 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| Sx:<br>Swamp-----           | 100                       | Not rated  |                      | Not rated                             |              |
| Tm:<br>Tidal Marsh-----     | 100                       | Not rated  |                      | Not rated                             |              |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields                        |              | Sewage lagoons                        |              |
|-----------------------------|---------------------------|---|--------------|---------------------------------------|--------------|
|                             |                           | Rating class and<br>limiting features                   | Value        | Rating class and<br>limiting features | Value        |
| WaB2:<br>Westphalia-----    | 100                       | Somewhat limited<br>Restricted<br>permeability          | 0.50         | Very limited<br>Seepage<br>Slope      | 1.00<br>0.32 |
| WaC2:<br>Westphalia-----    | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.50<br>0.04 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| WaC3:<br>Westphalia-----    | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.50<br>0.04 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| WaD2:<br>Westphalia-----    | 100                       | Very limited<br>Slope<br>Restricted<br>permeability     | 1.00<br>0.50 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| WaD3:<br>Westphalia-----    | 100                       | Very limited<br>Slope<br>Restricted<br>permeability     | 1.00<br>0.50 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| WeB2:<br>Westphalia-----    | 70                        | Somewhat limited<br>Restricted<br>permeability          | 0.50         | Very limited<br>Seepage<br>Slope      | 1.00<br>0.32 |
| Evesboro-----               | 30                        | Very limited<br>Filtering<br>capacity                   | 1.00         | Very limited<br>Seepage<br>Slope      | 1.00<br>0.32 |
| WeC2:<br>Westphalia-----    | 70                        | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.50<br>0.04 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |
| Evesboro-----               | 30                        | Very limited<br>Filtering<br>capacity<br>Slope          | 1.00<br>0.04 | Very limited<br>Seepage<br>Slope      | 1.00<br>1.00 |
| WeC3:<br>Westphalia-----    | 70                        | Somewhat limited<br>Restricted<br>permeability<br>Slope | 0.50<br>0.04 | Very limited<br>Slope<br>Seepage      | 1.00<br>1.00 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields  |                      | Sewage lagoons   |                      |
|-----------------------------|---------------------------|---|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features   | Value                | Rating class and<br>limiting features                          | Value                |
| Evesboro-----               | 30                        | Very limited<br>Filtering<br>capacity<br>Slope  | 1.00<br>0.04         | Very limited<br>Seepage<br>Slope                               | 1.00<br>1.00         |
| WkB2:<br>Wickham-----       | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 0.50<br>0.43         | Very limited<br>Seepage<br>Slope                               | 1.00<br>0.32         |
| WkC2:<br>Wickham-----       | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 0.50<br>0.43         | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| WkD2:<br>Wickham-----       | 100                       | Somewhat limited<br>Slope<br>Restricted<br>permeability<br>Depth to<br>saturated zone | 0.84<br>0.50<br>0.43 | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| WmC3:<br>Wickham-----       | 100                       | Somewhat limited<br>Restricted<br>permeability<br>Depth to<br>saturated zone          | 0.50<br>0.43         | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| WmD3:<br>Wickham-----       | 100                       | Somewhat limited<br>Slope<br>Restricted<br>permeability<br>Depth to<br>saturated zone | 0.84<br>0.50<br>0.43 | Very limited<br>Slope<br>Seepage                               | 1.00<br>1.00         |
| WoA:<br>Woodstown-----      | 100                       | Very limited<br>Depth to<br>saturated zone  | 1.00                 | Very limited<br>Depth to<br>saturated zone<br>Seepage          | 1.00<br>1.00         |
| WoB2:<br>Woodstown-----     | 100                       | Very limited<br>Depth to<br>saturated zone  | 1.00                 | Very limited<br>Depth to<br>saturated zone<br>Seepage<br>Slope | 1.00<br>1.00<br>0.32 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Septic tank<br>absorption fields           |       | Sewage lagoons   |                      |
|-----------------------------|---------------------------|--|-------|--|----------------------|
|                             |                           | Rating class and<br>limiting features      | Value | Rating class and<br>limiting features                          | Value                |
| WoC2:<br>Woodstown-----     | 100                       | Very limited<br>Depth to<br>saturated zone | 1.00  | Very limited<br>Depth to<br>saturated zone<br>Slope<br>Seepage | 1.00<br>1.00<br>1.00 |

